REV: 1/17

PRODUCT INFORMATION SUMMARY

Human PAI-1

Purified Factor Product Number HC711360B 10.0 uq

HC711360A 2.0 ug

DESCRIPTION:

Human Plasminogen Activator Inhibitor-1 (PAI) is a strong inhibitor of urokinase-type plasminogen activator (uPA). Expressed by certain tumor cells, and adipose, liver and vascular tissues, its elevated levels are associated with diabetes and obesity . Plasma levels of PAI-1 and deficiency in plasminogen activators form a link to icresased risk of thrombosis and caronary disease. Human PAI-1 is a 42.7 kDa protein with 379 aa. residues.

SOURCE : E. Coli Purity > 95% by HPLC analysis Endotoxin < 0.1 ng per ug PAI-1 Sterile filtered and lyophilized. Additive-free.

BIOLOGICAL ACTIVITY: Ability to inhibitsingle chain tPA induced cleavage of chromogenic substrate in Imidazole Buffer. Halfmaximal inhibition at PAI-1 concentration of 2.0 ug/mL with 1.0 ug/mL of tPA.

HANDLING AND STORAGE:

Purified PAI-1 is provided lyophilized from 10mM PBS, pH 7.5 with no additives. Store lyophilized, at -20° C. Quick spin and reconstitute with sterile or distilled water to concentration of 100 ug/L. Further dilute in PBS or other buffered solutions. Store small aliquots $at -20^{\circ}$ C, with addition of carrier protein (ie., 0.1% BSA), for long-term storage up to 3 months, at high concentration.

Before opening vial, it is recommended to microcentrifuge vial for 30 seconds to spin-down any lyophilized material that may adhere to top of vial. The small amounts of protein may adhere to the vial as a very thin coat of lyophilized material, and may be difficult to see as a pellet.

RESEARCH USE ONLY -NOT for DRUG USE