### ANTIGENIX AMERICA Inc.

# Super-X Plex Flow Cytometry Assay Multi-Plex Panel ( 3-Plex)

Product Information Summary

## Human T-Helper Cytokine Cat No. HMX463 96 tests ( 3-Plex- Panel 1) (Th1/Th2)

**DESCRIPTION:** Multi-Plex (3-Plex) Flow Cytometry Assay Panel - components to measure human: IL-9, IL-10, and TNF Alpha simultaneously- in human Serum, Plasma, Cell Culture Supernatant or Cell Lysate samples.

NOTE: ORDER a Sample Diluent Kit ( to match sample type):

Human Serum/Plasma (**DKH100**)or Cell Culture Supernatant (**DKC100**) or Cell Lysate (**DKL100**)

Cell Lysate Prep Buffer (**CLP200**) or Sample Dilution Buffer ( to dilute high concentration samples) -(**SDL200**) also available.

(STARTER Kit Included)

CONTENTS :

Antibody Conjugated Beads 5.0 mL (1X) (Pre-Mixed , 3-Plex)
Detection Antibody - Biotin 1.5 mL (2X) (Pre-Mixed , 3-Plex)
Detection Antibody Diluent 1.5 mL (2X)
Standard: One vial of lyophilized standard containing
 Pre-mixed multiplexed analytes ( 3-Plex) ( see vial insert) single standard vial can be used for one or more assays
 indicated.

STARTER Kit: ( Human Panel)

Reading Buffer5.0 mL (10X)Wash Buffer15.0 mL (10X)Filter plate with lid(96 wells)Plate Sealers(6)Streptavidin-PE3.0 mL (1X)PCR 8 tube strip2 strips

STORAGE: Store Refrigerated ( 4-8°C. - in dark)
CAUTION: Contains Sodium Azide - ( 0.05%) - Dispose contents
carefully, flush with water to avoid reaction with lead drain
lines.

**PROTOCOL:** Refer to Kit protocol provided with assay ordered. Follow: Multi-plex panel section in protocol.

#### Assay Specifications:

Bead Specs:Sensitivities (pg/mL)Range: (pg/mL)S4P3Human TNF Alpha < 1.0</td>2.0 - 1,000S4P10Human IL-9< 5.0</td>10.0 - 5,000S5P10Human IL-10< 2.0</td>5.0 - 5,000

Sample Size: 15.0 uL per test X-Reactivity within panel : negligable Intra Assay CV: <10% Inter Assay CV <20% Recovery 70-130% standard dose

### RESEARCH USE ONLY NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE.

WWW.ANTIGENIX.com 1-800-558-1008