ANTIGENIX AMERICA Inc.

Super-X Plex Flow Cytometry Assay Multi-Plex Panel (7 Plex)

Product Information Summary

Mouse Chemokine Cat No.MMX370 96 tests

DESCRIPTION: Multi-Plex (7 Plex) Flow Cytometry Assay Panel - components to measure Mouse: KC, IP-10, Eotaxin, RANTES, MCP-1, MCP-3 and MIG simultaneously- in Murine Serum, Plasma, Cell Culture Supernatant or Cell Lysate samples.

NOTE: ORDER a Sample Diluent Kit (to match sample type):

Mouse/Rat Serum/Plasma (**DKM100**)or Cell Culture Supernatant (**DKC100**) or Cell Lysate (**DKL100**)

Cell Lysate Prep Buffer (**CLP200**) or Sample Dilution Buffer (to dilute high concentration samples) -(**SDL200**) also available.

(STARTER Kit Included)

CONTENTS:

Antibody Conjugated Beads 5.0 mL (1X) (Pre-Mixed , 7-Plex)
Detection Antibody - Biotin 1.5 mL (2X) (Pre-Mixed , 7-Plex)
Detection Antibody Diluent 1.5 mL (2X)
Standard: One vial of lyophilized standard containing
 Pre-mixed multiplexed analytes (7-Plex) (see vial insert) single standard vial can be used for one or more assays
 indicated.

STARTER Kit: (Mouse Panel)

Reading Buffer5.0 mL (10X)Wash Buffer20.0 mL (10X)Filter plate with lid(96 wells)Plate Sealers(6)Streptavidin-PE3.0 mL (1X)PCR 8 tube strip2 strips

STORAGE: Store Refrigerated (4-8°C. - in dark)
CAUTION: Contains Sodium Azide - (0.05%) - Dispose contents
carefully, flush with water to avoid reaction with lead drain
lines.

PROTOCOL: Refer to Kit protocol provided with assay ordered.

Assay Specifications:

Sensitivities	(pg/mL)	Range: (pg/mL)
Mouse KC	< 1.0	2.0 - 2,000
Mouse IP-10	< 3.0	10.0 - 5,000
Mouse Eotaxin	< 3.0	10.0 - 2,000
Mouse RANTES	< 2.0	5.0 - 5,000
Mouse MCP-1	< 1.0	2.0 - 2,000
Mouse MCP-3	< 2.0	5.0 - 5,000
Mouse MIG	< 2.0	5.0 - 5,000

Sample Size: 15.0 uL per test **X-Reactivity** within panel : **negligable** Intra Assay CV: <10% Inter Assay CV <20% Recovery 70-130% standard dose

RESEARCH USE ONLY NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE.

WWW.ANTIGENIX.com 1-800-558-1008