

REV. 03/10

## PRODUCT INFORMATION SUMMARY

### Human MIA

Product Number **RHF127CKX**

### "SUPER X" ELISA Kit

5 Plate Kit ( 5 x 96 tests)  
**RHF127CKX2** 2 plate kit ( 2 X 96 tests)  
**RHF127CKX1** Single Plate Kit ( 1 x 96 test )

#### Items Provided:

#### PRE-COATED ELISA Plates ( Single, 2 or 5 plates)

|                         |                                   |
|-------------------------|-----------------------------------|
| Biotin-Labeled tracer   | 25.0 ug                           |
| Antigen Standard        | 5.0 ug                            |
| Streptavidin-HRP        | 1.0 mL ( 0.5 mL - 2 plate format) |
| TMB Substrate           | 25 mL x 2 ( 15 mL - 2 plate)      |
| Wash Buffer Concentrate | 125 mL (20X) ( 50 mL - 2 plate)   |

#### DESCRIPTION:

Human Melanoma Inhibitory Activity (MIA) **SUPER X ELISA Kit** provides one, two or five **PRE-COATED** microplates ( coated with antigen affinity purified capture antibody stabilized with our proprietary ELISA coating/blocking reagent. A biotin labeled tracer antibody, antigen standard, HRP developing reagents and wash buffer are included.

Final working concentrations and assay range may need to be optimized by customer. Reactivity with various sample types, including serum/plasma samples, is evaluated by customer.

Note: Reconstitute components only when ready to run assay.

#### TRACER ANTIBODY:

Provided as 25 ug of Biotin labeled, antigen-affinity purified antibody, additive-free. Reconstitute in 500 uL sterile water **containing 0.1% BSA.** ( FREEZE aliquots for long-term storage)

**STANDARD:** Provided as 5.0 ug of recombinant Human MIA. Quick-spin and **reconstitute in distilled water** (pH 8.0) - concentration approx. 0.1 mg/mL. Further dilutions can be made in 0.05% Tween-20, 0.1% BSA in PBS.

#### DEVELOPING REAGENTS:

- Streptavidin-HRP ( S100180CX) 1.0 mL - **store @ -20 Deg. C.**
- TMB Substrate Solutions - Part A and Part B ( 25.0 mL each) cat # ES200CX
- Wash Buffer Concentrate (20X concentrate) Mix 1 volume of wash buffer with 19 volumes of distilled water. Stable for one month @ 4 Deg. C. once mixed to working volume.

**HANDLING/ STORAGE:** Reconstitute reagents when ready to build ELISA assay. Tracer Antibody be stored for approximately one month at 4 Degrees C. Or store **frozen** at -20 Degrees C. for up to 6 months. Standard ( rec. MIA) can be stored in liquid state ( @ 4 Deg. C.) For up to one week, or store **frozen, with addition of 0.1% BSA,** at -20 Deg. C. for up to 3 months. AVOID repeat freeze-thaw. Pre-coated ELISA plates should be stored in sealed plastic bag with desiccant pack, and are stable for one year from date of receipt. If needed, additional components ( antigen standard or developing reagents) can be purchased as separate items to run additional stored plates - inquire.

**Store** Streptavidin-HRP ( S100180XH) **frozen** @ -20 Deg. C.

Store TMB solutions and wash buffer concentrate at 4 Deg. C.

**CAUTION: Substrate Solution B contains 20% acetone. FLAMMABLE.**  
**Keep away from sources of heat or flame.**

**MATERIALS RECOMMENDED:**

Tween -20.

BSA ( ELISA grade only, protease-free)

Dubelco's PBS (10X)

PBS: Dilute to 1XPBS in sterile water

**Diluent:** use : 0.05% Tween-20, 0.1% BSA in PBS

2N Sulfuric Acid ( stop solution).

**PLATE PREPARATION:**

Plates are **pre-coated** with capture antibody and blocked/stabilized with ANTIGENIX proprietary ELISA coating stabilizer ( EA150) and are **ready to use!**

Store plates refrigerated ( @ 4 Deg. C.) in sealed plastic bags with desiccant pack. Plates can be stored for one year from data of receipt.

**PROTOCOL:**

STANDARD/SAMPLE: Dilute **a portion of the** standard ( store unused standard in aliquots, high concentration, frozen -20 Deg. C. with addition of 0.1% BSA) **from 20.0 ng/mL (Adjust,** depending on desired range and sensitivity of first standard curve) to zero in diluent: for example: 20.0 ng/mL ; 10.0 ng/mL; 1.0 ng/mL; 0.50 ng/mL; 0.1 ng/mL; zero blank.

Immediately add 100 uL of standard or sample to each well in duplicate. Incubate at room temp. for **1 hour.**

DETECTION: Aspirate and wash plate 4 times. Dilute detection (Tracer) antibody in diluent to **concentration of 0.10 ug/mL.** Add 100 uL per well. **Incubate** at room temperature **for 20 minutes .**

STREPTAVIDIN-HRP: Aspirate and wash plate 4 times. Dilute Streptavidin-HRP conjugate approx. **1:2,500** in diluent. (May need to optimize) Add 100 uL per well, incubate 30 minutes at room temperature.

SUBSTRATE: **Prepare substrate solution** no more than 15 minutes before last incubation of assay: Mix one part TMB Solution A with one part TMB Solution B in a clean container. If, upon mixing, TMB solution turns blue - TMB solution is **contaminated-DO NOT USE**. Use mixed substrate solution **WITHIN 2 Hours, and AVOID DIRECT LIGHT**.

Aspirate and wash plate 4 times. **Note:** Wash steps are critical! Add 100 uL substrate solution to each well. **Incubate substrate for 10 minutes** at room temp. for color development. Color development may be monitored with plate reader at 650 nm wavelength. ( for blue color). Add 100 uL of Stop solution ( 2N Sulfuric Acid) within 10 minutes to stop color development - gently tap plate to mix. **Read plate** at **450 nm** within 30 minutes of addition of stop solution.

NOTE: reliable standard curves are obtained when O.D. readings do not exceed 0.2 units for the zero standard concentration, or 2.2 units for the highest standard concentration. Monitor the plate every 5 minutes for approximately 30 minutes.

**WARRANTY:**

Products sold hereunder are warranted only to conform to the quantity and contents stated on the label at the time of delivery to the customer. There are no warranties, expressed or implied, which extend beyond the description on the label of the product.

**RESEARCH USE ONLY -NOT For DIAGNOSTIC USE**

**NOTE:** Addition components may be ordered separately, as needed, if running additional stored plates in future:

**Super X ELISA Kit**  
**Accessory Reagents Available:**

Additional antigen standard ( \$100.00) or other components may be ordered as separate items. - Inquire.

ANTIGENIX AMERICA Inc.

[WWW.ANTIGENIX.com](http://WWW.ANTIGENIX.com)