ANTIGENIX AMERICA Inc.

Super-X PlexTM Flow Cytometry Assay

Product Information Summary

Pre-Mixed Antigen Standards Cat No. SMX470 Human IGF-I/ IGF-II Panel

(2-Plex standard)

Lyophilized

DESCRIPTION: Flow Cytometry Assay pre-mixed antigen standard.

For use with Super-X Plex[™] Human IGF-I/ IGF-II Panel

assays:

CONTENTS:

<u>Cytokine Standard</u>	Concentration	(pg/mL)
Human IGF-I	20,000 pg/mL	
Human IGF-II	20,000	

USE: Reconstitute with 250 uL of the **standard diluent** (Provided with **Sample Diluent Kit**) to provide the above listed concentrations.

Preparation of IGF-I/ IGF-II standard curve:

Prepare a 4X Serial Dilution using the following table: (Prepare enough for standard in duplicate)
150 uL total per well. For each new dilution, Mix by pipetting up/down 5 times. Change Pipette tips after each dilution. Keep standards on ice until use.

Standard Conc. (pg/mL)	Volume from Previo	ous +	Standard Diluent
20,000 pg/mL (Undiluted)		Rec	onstituted Above
1:4 5,000 pg/mL	50 uL	+	150 ul
1:16 1,250 pg/mL	50 uL	+	150 ul
1:64 313 pg/mL	50 uL	+	150 ul
1:256 78 pg/mL	50 uL	+	150 ul
1:1024 20 pg/mL	50 uL	+	150 ul
1:4096 5 pg/mL	50 uL	+	150 ul
Blank 0 pg/mL		+	150 ul

NOTE: Order this item if additional standard is required for on-going assays. This item is **included** with single or multiplex panels of above analytes.

STORAGE: Store Refrigerated (4-8°C.) prior to reconstitution

PROTOCOL: Refer to Kit protocol provided with assay ordered.

<u>www.ANTIGENIX.COM</u> 1-800-558-1008

RESEARCH USE ONLY